

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 21.01.2016

Version: 4.01

Revision: 21.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · Trade name: QUIXX Scratch Remover for Acrylic Glass
- 1.2 Relevant identified uses of the substance or mixture and uses advised against: -
- · Application of the substance / the preparation: Polishing agent
- · Uses advised against -

\cdot 1.3 Details of the supplier of the safety data sheet

· Supplier/Manufacturer:

E.V.I. GmbH Gautinger Str. 40a 82061 Neuried Germany

Tel.: +49 (0)89 745062-0 Fax: +49 (0)89 745062-99 www.e-v-i.de

· Email competent person: sds@kft.de

 Information department: See supplier/manufacturer Abt. F&E / Regulatory Affairs

 • 1.4 Emergency telephone number: National Poison Information Service (NPIS)
 24 hour national number professionals only
 0844 892 0111

National Health Service (NHS) 24 hour national number consumer England and Scotland: 111 Wales: 0845 46 47 Northern Ireland: call your local General Practitioner

Call 999 if there is a life-threatening incident.

SECTION 2: Hazards identification

 \cdot 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable
- · vPvB: Not applicable

- GB -

^{· 1.1} Product identifier



Safety data sheet

according to 1907/2006/EC, Article 31

Version: 4.01

Trade name: QUIXX Scratch Remover for Acrylic Glass

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Polishing agent

· Dangerous components:

Printing date: 21.01.2016

CAS: 1344-28-1 aluminium oxide EINECS: 215-691-6 substance with a Community workplace exposure limit

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: If symptoms persist or in case of doubt, seek medical advice.
- · After inhalation: Supply fresh air; consult a doctor in case of pain.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- Generally the product does not irritate the skin.
- After eye contact:
- Rinse opened eye for several minutes under running water.
- If symptoms persist, consult a doctor.
- After swallowing:
- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; call medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: No data available
- \cdot 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be released:
- Carbon monoxide (CO)
- Carbon dioxide (CO₂)
- Metal oxides
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- · Additional information:
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with eyes.

Revision: 21.01.2016

Page 2/7

(Contd. of page 1)

10-20%



Safety data sheet

according to 1907/2006/EC, Article 31

Version: 4.01

Trade name: QUIXX Scratch Remover for Acrylic Glass

- · 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- Pick up mechanically.

Printing date: 21.01.2016

- Make sure to recycle or dispose of in suitable receptacles.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used properly.
- · Information about protection against explosions and fires: Observe the general rules of industrial fire protection.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store at ambient temperature.
- · Information about storage in one common storage facility:
- Store away from foodstuffs.

Store away from feed. Refer to national regulations for storing hazardous chemicals.

- Further information about storage conditions: Store under dry conditions.
- Storage class: 11 Combustible solids
- · 7.3 Specific end use(s) Dehydration and any subsequent pulverization of the product should be avoided.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems:

Mechanical ventilation/exhaustion is strongly recommended. No further data; see section 7.

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:
- 1344-28-1 aluminium oxide

WEL (Great Britain) Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

Additional information:

Since product is a paste, there is no risk of inhalation of particles. Monitoring of limit values is therefore not required. The lists that were valid during the creation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures should be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with eyes.

Page 3/7

Revision: 21.01.2016

(Contd. of page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Version: 4.01

Trade name: QUIXX Scratch Remover for Acrylic Glass

After contact with eyes, rinse immediately.

Use skin protection cream for skin protection.

- · Breathing equipment: Under normal conditions of use not required
- · Protection of hands: If used properly, not required for consumers
- · Material of gloves: -· Penetration time of glove material:

Printing date: 21.01.2016

On behalf of many suppliers are the companies Hapa, Ansell, Semperit and KCL to mention.

· Eye protection: Under normal conditions of use not required

· Body protection: Not required

SECTION 9: Physical and chemical properties		
 9.1 Information on basic physical and chemical properties General Information: Appearance: 		
Form:	Pasty	
Colour:	White	
· Odour:	Characteristic	
· Odour threshold:	Not determined	
· pH-value:	Not applicable	
Change in condition: Melting point/Melting range:	Not determined	
Boiling point/Boiling range:	Not determined	
· Flash point:	270 °C	
· Flammability (solid, gaseous):	Not determined	
· Ignition temperature:	Not determined	
· Decomposition temperature:	Not determined	
· Self ingnition temperature:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: Oxidizing properties: 	Not applicable Not applicable Not determined	
· Vapour pressure:	Not applicable	
 Density at 20 °C: Relative density: Vapour density: Evaporation rate: 	1.294 g/cm ³ Not determined Not applicable Not applicable	
 Solubility in / Miscibility with Water: 	Insoluble	
· Partition coefficient (n-octanol/wat	ter): Not determined	
		(Contd. on page 5)
		GB

(Contd. of page 3)

Revision: 21.01.2016

Page 4/7



Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 21.01.2016

Version: 4.01

Revision: 21.01.2016

(Contd. of page 4)

Page 5/7

Trade name: QUIXX Scratch Remover for Acrylic Glass

 Viscosity: dynamic: kinematic:

Not applicable Not applicable No further relevant information available

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available

· 10.2 Chemical stability

· 9.2 Other information

- · Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available
- · 10.5 Incompatible materials: No further relevant information available
- · 10.6 Hazardous decomposition products:

No hazardous decomposition products if instructions for storage and handling are followed

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: No toxicity data are available for the product itself.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: Presently there are no ecotoxicological values available.
- · 12.2 Persistence and degradability No further relevant information available
- · 12.3 Bioaccumulative potential No further relevant information available
- · 12.4 Mobility in soil No further relevant information available
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous to water

According to appendix 4 of VwVwS dated 17.05.1999 (German regulation)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Danger to drinking water is possible if large quantities leak into the ground or into water course.

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 21.01.2016

Version: 4.01

Trade name: QUIXX Scratch Remover for Acrylic Glass

· 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable
- · vPvB: Not applicable
- · 12.6 Other adverse effects No further relevant information available

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation:

Disposal according to instructions of local authorities Smaller quantities can be disposed of with household waste.

- · Uncleaned packagings:
- Recommendation:

Disposal must be made according to official regulations. Only dispose of completely empty packagings.

Void
Void
Void
Void
No
Not applicable
Marpol and Not applicable
Not dangerous according to the above regulations
Void
-

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

Revision: 21.01.2016

(Contd. of page 5)

Page 6/7



Safety data sheet according to 1907/2006/EC, Article 31

Version: 4.01

Trade name: QUIXX Scratch Remover for Acrylic Glass

· National regulations

Printing date: 21.01.2016

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for amendments: General revision

EC Regulation 453/2010 · Replaces version dated: 30.03.2015

Department issuing MSDS:

KFT Chemieservice GmbH Im Leuschnerpark. 3 64347 Griesheim Postfach 1451 64345 Griesheim Germany

Phone: +49 6155 86829-0 Fax: +49 6155 86829-25 Safety Data Sheet Service: +49 6155 86829-22

· Contact: Dr. Faiza Khan

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

· Sources: Information provided by the manufacturer

·* Data compared to the previous version altered.

Changes have been made to sections marked with a *, as compared to the previous version.

Revision: 21.01.2016

Page 7/7

(Contd. of page 6)

GB —