





Key benefits

- Ideal for boats, yachts, motorhomes, buses, trucks, hydraulic ramps and platforms, electrical drives, mobility, solar and industrial applications
- AGM technology for high rate discharge performance, plus superb shock and vibration resistance
- Exceptionally long lasting up to eight times the cyclic stability of conventional batteries
- Tough and 100% leak proof construction
- Ideal for all your starter and supply requirements

ORDER INFORMATION		
European Type No. (ETN):	830 060 037	
Article Number:	830 060 037 D95 2	
Short Code:	LAD 60A	
Barcode:	4016987141175	
Packaging Unit:	1	
Quantity per Pallet:	32	

TECHNICAL INFORMATION			
Voltage [V]:	12	Width [mm]:	166
Battery Capacity [Ah]:	60	Height [mm]:	188
Battery Capacity 5h [Ah]:	49	Base Hold-down:	B00
Cold Cranking Amps (CCA), EN [A]:	340	Layout:	0
Cold Cranking Amps (SAE) @ -18°C:	370	Terminal Types:	1
Marine Cranking Amps (SAE) @ 0°C:	450	Weight filled (kg):	20,7
Length [mm]:	265		











Key benefits

- Ideal for boats, yachts, motorhomes, buses, trucks, hydraulic ramps and platforms, electrical drives, mobility, solar and industrial applications
- AGM technology for high rate discharge performance, plus superb shock and vibration resistance
- Exceptionally long lasting up to eight times the cyclic stability of conventional batteries
- Tough and 100% leak proof construction
- Ideal for all your starter and supply requirements

ORDER INFORMATION	
European Type No. (ETN):	830 085 051
Article Number:	830 085 051 D95 2
Short Code:	LAD 85
Barcode:	4016987141199
Packaging Unit:	
Quantity per Pallet:	32

TECHNICAL INFORMATION			
Voltage [V]:	12	Width [mm]:	169
Battery Capacity [Ah]:	85	Height [mm]:	230,5
Battery Capacity 5h [Ah]:	70	Base Hold-down:	B00
Cold Cranking Amps (CCA), EN [A]:	465	Layout:	0
Cold Cranking Amps (SAE) @ -18°C:	510	Terminal Types:	1
Marine Cranking Amps (SAE) @ 0°C:	600	Weight filled (kg):	25,3
Length [mm]:	260		











Key benefits

- Ideal for boats, yachts, motorhomes, buses, trucks, hydraulic ramps and platforms, electrical drives, mobility, solar and industrial applications
- AGM technology for high rate discharge performance, plus superb shock and vibration resistance
- Exceptionally long lasting up to eight times the cyclic stability of conventional batteries
- Tough and 100% leak proof construction
- Ideal for all your starter and supply requirements

ORDER INFORMATION			
European Type No. (ETN):	830 115 060		
Article Number:	830 115 060 D95 2		
Short Code:	LAD 115		
Barcode:	4016987141205		
Packaging Unit:			
Quantity per Pallet:	24		

TECHNICAL INFORMATION			
Voltage [V]:	12	Width [mm]:	172
Battery Capacity [Ah]:	115	Height [mm]:	233,5
Battery Capacity 5h [Ah]:	91	Base Hold-down:	B00
Cold Cranking Amps (CCA), EN [A]:	550	Layout:	0
Cold Cranking Amps (SAE) @ -18°C:	600	Terminal Types:	1
Marine Cranking Amps (SAE) @ 0°C:	710	Weight filled (kg):	32,8
Length [mm]:	328		











Key benefits

- Ideal for boats, yachts, motorhomes, buses, trucks, hydraulic ramps and platforms, electrical drives, mobility, solar and industrial applications
- AGM technology for high rate discharge performance, plus superb shock and vibration resistance
- Exceptionally long lasting up to eight times the cyclic stability of conventional batteries
- Tough and 100% leak proof construction
- Ideal for all your starter and supply requirements

ORDER INFORMATION	
European Type No. (ETN):	830 150 090
Article Number:	830 150 090 D95 2
Short Code:	LAD 150
Barcode:	4016987141212
Packaging Unit:	1
Quantity per Pallet:	16

TECHNICAL INFORMATION			
Voltage [V]:	12	Width [mm]:	171
Battery Capacity [Ah]:	150	Height [mm]:	241
Battery Capacity 5h [Ah]:	123	Base Hold-down:	B00
Cold Cranking Amps (CCA), EN [A]:	825	Layout:	0
Cold Cranking Amps (SAE) @ -18°C:	900	Terminal Types:	1
Marine Cranking Amps (SAE) @ 0°C:	1070	Weight filled (kg):	46,7
Length [mm]:	484		











Key benefits

- Ideal for boats, yachts, motorhomes, buses, trucks, hydraulic ramps and platforms, electrical drives, mobility, solar and industrial applications
- AGM technology for high rate discharge performance, plus superb shock and vibration resistance
- Exceptionally long lasting up to eight times the cyclic stability of conventional batteries
- Tough and 100% leak proof construction
- Ideal for all your starter and supply requirements

ORDER INFORMATION	
European Type No. (ETN):	830 210 118
Article Number:	830 210 118 D95 2
Short Code:	LAD 210
Barcode:	4016987144633
Packaging Unit:	1
Quantity per Pallet:	12

TECHNICAL INFORMATION			
Voltage [V]:	12	Width [mm]:	209
Battery Capacity [Ah]:	210	Height [mm]:	214
Battery Capacity 5h [Ah]:	172	Base Hold-down:	B00
Cold Cranking Amps (CCA), EN [A]:	1180	Layout:	3
Cold Cranking Amps (SAE) @ -18°C:	1298	Terminal Types:	1
Marine Cranking Amps (SAE) @ 0°C:	1510	Weight filled (kg):	60,2
Length [mm]:	530		









Key benefits

- Ideal for boats, yachts, motorhomes, buses, trucks, hydraulic ramps and platforms, electrical drives, mobility, solar and industrial applications
- AGM technology for high rate discharge performance, plus superb shock and vibration resistance
- Exceptionally long lasting up to eight times the cyclic stability of conventional batteries
- Tough and 100% leak proof construction
- Ideal for all your starter and supply requirements

ORDER INFORMATION	
European Type No. (ETN):	830 260 120
Article Number:	830 260 120 D95 2
Short Code:	LAD 260
Barcode:	4016987143643
Packaging Unit:	1
Quantity per Pallet:	12

TECHNICAL INFORMATION			
Voltage [V]:	12	Width [mm]:	269
Battery Capacity [Ah]:	260	Height [mm]:	239,5
Battery Capacity 5h [Ah]:	214	Base Hold-down:	B00
Cold Cranking Amps (CCA), EN [A]:	1100	Layout:	3
Cold Cranking Amps (SAE) @ -18°C:	1200	Terminal Types:	1
Marine Cranking Amps (SAE) @ 0°C:	1440	Weight filled (kg):	77,9
Length [mm]:	521		

